ZOOM-ZOOM

MAZDA BT-50



- 03 Introduction
- 04 Exterior Design
- 06 Interior Craftsmanship
- 08 Performance
- 09 BT-50 Thunder
- 11 New BT-50 SP
- 13 Safety
- 14 Technology
- 15 Colours and Trims
- 16 Wheels
- 17 Single Cab XS

CONTENTS

- 18 Dual Cab XS
- 19 Single Cab XT
- 20 Freestyle Cab XT
- 21 Dual Cab XT
- 22 Dual Cab XTR
- 23 Dual Cab GT
- 24 Dual Cab SP
- 25 Dual Cab Thunder
- 26 Specifications
- 39 Confidence
- 40 Contact





THE COMPLETE PACKAGE


Reborn and rebuilt from the ground up, Mazda BT-50 is here. A whole new level of versatility and performance has been achieved through a relentless pursuit of challenging what's possible. Innovation greets you at every turn with more features at your disposal than ever before. Bold, balanced, stylish and capable, Mazda BT-50 truly is the complete package.

A BOLDER LEVEL OF DESIGN

The exterior design of Mazda BT-50 is the first true expression of Mazda's Kodo Design language in a ute. The confident, planted stance projects strength, capability and uncompromising quality. The new two-tone alloy wheel design gives BT-50 a unique and striking look. LED headlamps punctuate the front grille while sculpted side panels draw the eye to the bold rear presence. There is also a full range of accessories to add even more toughness and functionality.
















CLASS-LEADING AND DRIVER-CENTRIC

Step inside the comfortable, spacious and durable cabin and you'll find yourself immersed in the highest quality Mazda design. Soft leather seats wrap the driver and passenger alike with a sense of control and calm. An expansive and stylish centre console is further evidence of the exceptional quality and finish of the premium materials. Rear seat passengers are taken care of too, with a USB charging port and air-conditioning vents.

















THE COMPLETE PERFORMANCE PACKAGE

Combining the latest technology, powerful performance and off-road capability, Mazda BT-50 delivers unparalleled versatility and dependability. Both tough and fuel efficient, you can choose from either a 3.0L or 1.9L 4-cylinder turbo diesel engine. The 3.0L delivers 140kw of power and 450Nm of torque in both 6-speed auto and manual transmissions, all while using just as little as 7.7L/100km^{*}. This is backed up by a braked towing capacity of 3,500kg, a payload capability of up to 1,196kg and a host of features for the dedicated four-wheel driver.

The punchy new 1.9L puts out 110kW, 350Nm of torque and features a six speed automatic transmission. With a towing capacity of up to 3,000kg, it makes for an exciting entry level addition to the range.







^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

BT-50 THUNDER

The range-topping Mazda BT-50 Thunder has arrived. The Complete Package is now completely packed with boldness, toughness and capability including an all-new sports bar, wheels, lightbar, electric tonneau cover and much more so you can conquer the workday and the weekend with ease.





Wash salt water to avoid corrosion.









NEW BT-50 SP

The latest addition to the lineup, new BT-50 SP offers a sleek, sport-luxe look. Featuring 18-inch black alloy wheels, black and grey exterior accents, sail-plane sports bar and more, it has a stylish presence both on and off road.


Wash salt water to avoid corrosion.














UNCOMPROMISING SAFETY Mazda BT-50 offers a level of safety across the range that you wouldn't expect in a ute. A suite of the latest advanced safety technologies, like Autonomous Emergency Braking (AEB), Blind Spot Monitor (BSM)[†], Lane Departure Warning (LDW)[†] and Automatic High Beam (AHB)[†] are standard across the range. You'll also enjoy the confidence of an 8-airbag protection system, which includes an airbag that deploys between driver and passenger.

[†] Driver assist technology only. It should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



TECHNOLOGY AT The cutting edge

The very latest in class-leading technology starts with the large 9-inch touch screen display on XTR grade and above that puts it all at your fingertips. Intuitive smartphone connectivity, like Android[™] Auto and wireless Apple CarPlay^{®§} keeps you connected to a world of functionality and entertainment. Connectivity information is also delivered to the instrument panel, helping you keep attention on the road. While the 8-speaker surround sound system, which includes two innovative roof speakers, delivers powerful, crystal clear audio for you to enjoy. As an added bonus, on GT, SP and Thunder models you can also start the engine remotely to prepare you for a quick departure.









COLOURS AND TRIMS

With a choice of seven body colours and two interior trims, you can ensure your Mazda BT-50 reflects your personality and taste.

INTERIOR TRIMS



Black cloth (XT and XTR)




Brown leather[#] (GT & Thunder)




Black & Driftwood leather with synthetic suede (SP)

BODY COLOURS







Concrete Grey Mica


Gunblue Mica

Ice White Solid

Rock Grey Mica

Leather interior includes some Maztex material on selected high impact surfaces.





Red Volcano Mica

Ingot Silver Metallic

True Black Mica



ROLL WITH STYLE

Both 17-inch and 18-inch aluminium wheels are available with Mazda BT-50. The 18-inch wheels take on a spoke design that delivers a sense of power and depth. The 17-inch wheels convey a feeling of sophistication and functional beauty. Both sizes employ a cap that meets the spokes in the centre of the wheel, adding to Mazda BT-50's bold sense of style.



17-inch alloy on XT models

and GT models







18-inch black and machined alloy on XTR 18-inch metallic black alloy on SP model 18-inch satin black alloy on Thunder model





MAZDA BT-50 SINGLE CAB XS

- 17-inch steel wheels **>>**
- Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- Seat trim: Black cloth >>>
- Air-conditioning \gg
- Power windows
- Vinyl floor covering **>>**
- Cruise control
- Adaptive Cruise Control (ACC) with Stop & Go[†]
- 7-inch full-colour touch screen
- Apple Carplay[®] (wireless & USB) and Android[®] Auto (USB)[§]

POWERTRAIN


- 1.9 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x2 >>>
- Max power: 110kW @ 3,600rpm

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

- Bluetooth[®] hands-free phone and >>> audio capability§
- DAB+ digital radio >>>
- Reverse camera >>
- Airbags SRS: front (driver & >> passenger), side, curtain, knee (driver), far-side (driver)
- Anti-lock Braking System (ABS)⁺ >>>
- Attention Assist[†] >>>
- Autonomous Emergency Braking >>> (AEB)[†]
- Blind Spot Monitor (BSM)⁺ >>>
- Dynamic Stability Control (DSC)⁺
- Emergency Lane Keeping (ELK) -Overtaking[†]

- Emergency Stop Signal (ESS)[†] >>>
- Automatic High Beam (AHB)[†] >>>
- Hill Descent Control (HDC)⁺ >>>
- Hill Launch Assist (HLA)[†] >>
- Lane Departure Warning (LDW)[†] **》**
- Lane Departure Prevention (LDP)[†] **>>**
- Lane-keep Assist System (LAS)[†] **》**
- Rear Cross Traffic Alert (RCTA)⁺ >>>
- Roll Over Protection (ROP)[†] >>>
- Secondary Collision Reduction[†] >>>
- Speed Assist System[†] >>>
- Traction Control System (TCS)⁺ **>>**
- Turn Assist[†] >>>

- Max torque: **>>** 350Nm @ 1,800-2,600rpm
- Fuel consumption (combined): >>> 7.0L/100km* (4x2 auto)







MAZDA BT-50 DUAL CAB XS

- 17-inch steel wheels (4X2) >>
- 17-inch alloy wheels (4X4)
- Headlamps (LED) **>>**
- Exterior mirrors (body coloured) with power adjustment
- Seat trim: Black cloth
- Air-conditioning with rear vents
- Power windows **>>**
- Vinyl floor covering >>>
- Cruise control
- Adaptive Cruise Control (ACC) with Stop & Go[†]
- 7-inch full-colour touch screen
- Apple Carplay[®] (wireless & USB) >>> and Android® Auto (USB)§
- Bluetooth[®] hands-free phone and audio capability[§]

POWERTRAIN

- turbo diesel
- Drivetrain: 4x2
- Max power: 110kW @ 3,600rpm

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

- DAB+ digital radio **>>**
- Reverse camera >>>
- Rear seat USB charging point **>>**
- Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- Anti-lock Braking System (ABS)⁺
- Attention Assist[†] >>>
- Autonomous Emergency Braking >> (AEB)[†]
- Blind Spot Monitor (BSM)⁺ >>>
- Dynamic Stability Control (DSC)⁺ >>>
- Emergency Lane Keeping (ELK) -Overtaking[†]
- Emergency Stop Signal (ESS)[†]
- Automatic High Beam (AHB)[†] **>>**

- Hill Descent Control (HDC)⁺ >>>
- Hill Launch Assist (HLA)⁺ >>>
- Lane Departure Warning (LDW)[†] >>>
- Lane Departure Prevention (LDP)[†] **》**
- Lane-keep Assist System (LAS)⁺ **》**
- Locking Rear Differential (LRD) switchable on/off (4X4 models)
- Rear Cross Traffic Alert (RCTA)⁺ >>>
- Rear parking sensors >>>
- Roll Over Protection (ROP)[†] >>>
- Secondary Collision Reduction[†] **>>**
- Speed Assist System[†] **>>**
- Traction Control System (TCS)⁺ >>>
- Turn Assist[†] >>

1.9 litre in-line 4 cylinder 16 valve DOHC intercooled

- Max torque: **》** 350Nm @ 1,800-2,600rpm
- Fuel consumption (combined): 6.7L/100km* (4x2 auto) or 6.9L/100km^{*} (4x4 auto)







MAZDA BT-50 SINGLE CAB XT

- 17-inch alloy wheels **>>**
- Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- Seat trim: Black cloth >>>
- Air-conditioning \gg
- Power windows
- Vinyl floor covering **>>**
- Cruise control >>>
- Adaptive Cruise Control (ACC) with Stop & Go (automatic models)[†]
- 7-inch full-colour touch screen
- Apple Carplay[®] (wireless & USB) and Android[™] Auto (USB)§

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x2 or 4x4


§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

- Bluetooth[®] hands-free phone and audio capability§
- DAB+ digital radio >>>
- >> Reverse camera
- Airbags SRS: front (driver & >> passenger), side, curtain, knee (driver), far-side (driver)
- Anti-lock Braking System (ABS)⁺ >>>
- Attention Assist[†] >>>
- Autonomous Emergency Braking >>> (AEB)[†]
- Blind Spot Monitor (BSM)⁺ >>>
- Dynamic Stability Control (DSC)⁺
- Emergency Lane Keeping (ELK) Overtaking[†]
- Emergency Stop Signal (ESS)[†] >>>

- Automatic High Beam (AHB)⁺ >>>
- Hill Descent Control (HDC)⁺ **>>**
- Hill Launch Assist (HLA)⁺ >>>
- Lane Departure Warning (LDW)[†] **》**
- Lane Departure Prevention (LDP)[†] **>>**
- Lane-keep Assist System (LAS) >> (automatic models)[†]
- Locking Rear Differential (LRD) switchable on/off (4X4 models)
- Rear Cross Traffic Alert (RCTA)⁺ >>
- Roll Over Protection (ROP)⁺ >>>
- Secondary Collision Reduction[†] >>>
- Speed Assist System[†] >>>
- Traction Control System (TCS)⁺ **》**
- Turn Assist[†] >>

- Max power: 140kW @ 3,600 rpm **》** >>>
- Max torque: 450Nm @ >> 1,600 – 2,600rpm

Fuel consumption (combined): 8.0L/100km* (4x2 auto) or 8.0L/100km^{*} (4x4, man) or 8.0L/100km* (4x4, auto)







MAZDA BT-50 FREESTYLE CAB XT

- 17-inch alloy wheels **》**
- Freestyle door system
- Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- Seat trim: Black cloth >>>
- Air-conditioning
- Power windows **>>**
- Vinyl floor covering >>>
- Cruise control
- Adaptive Cruise Control (ACC) with Stop & Go (automatic models)[†]
- 7-inch full-colour touch screen
- Apple Carplay[®] (wireless & USB) and Android[™] Auto (USB)§

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x2 or 4x4


§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

- Bluetooth[®] hands-free phone and audio capability§
- DAB+ digital radio >>>
- Reverse camera >>>
- Airbags SRS: front (driver & >> passenger), side, curtain, knee (driver), far-side (driver)
- Anti-lock Braking System (ABS)⁺ >>>
- Attention Assist[†] >>
- Autonomous Emergency Braking >>> (AEB)[†]
- Blind Spot Monitor (BSM)⁺ **>>**
- Dynamic Stability Control (DSC)⁺
- Emergency Lane Keeping (ELK) -Overtaking[†]
- Emergency Stop Signal (ESS)[†] >>

- Automatic High Beam (AHB)⁺ >>>
- Hill Descent Control (HDC)⁺ **>>**
- Hill Launch Assist (HLA)⁺ >>>
- Lane Departure Warning (LDW)[†] **》**
- Lane Departure Prevention (LDP)[†] **>>**
- Lane-keep Assist System (LAS) >>> (automatic models)[†]
- Locking Rear Differential (LRD) switchable on/off (4X4 models)
- Rear Cross Traffic Alert (RCTA)⁺ >>
- Roll Over Protection (ROP)⁺ >>>
- Secondary Collision Reduction[†] >>>
- Speed Assist System[†] >>>
- Traction Control System (TCS)⁺ **》**
- Turn Assist[†] >>

- Max power: 140kW @ 3,600 rpm **》** >>>
- Max torque: 450Nm @ >> 1,600 – 2,600rpm

Fuel consumption (combined): 8.0L/100km* (4x2 auto) or 8.0L/100km^{*} (4x4, man) or 8.0L/100km* (4x4, auto)







MAZDA BT-50 DUAL CAB XT

- 17-inch alloy wheels **>>**
- Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- Seat trim: Black cloth
- Air-conditioning with rear vents
- Power windows
- Vinyl floor covering
- Cruise control
- Adaptive Cruise Control (ACC) with Stop & Go (automatic models)†
- 7-inch full-colour touch screen
- Apple Carplay[®] (wireless & USB) and Android[™] Auto (USB)§
- Bluetooth[®] hands-free phone and audio capability[§]

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x2 or 4x4


§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

- DAB+ digital radio **>>**
- Reverse camera >>>
- Rear seat USB charging point **>>**
- Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- Anti-lock Braking System (ABS)⁺ **>>**
- Attention Assist[†] >>
- Autonomous Emergency Braking >> (AEB)[†]
- Blind Spot Monitor (BSM)⁺ >>
- Dynamic Stability Control (DSC)[†] >>>
- Emergency Lane Keeping (ELK) Overtaking[†]
- Emergency Stop Signal (ESS)[†] >>>
- Automatic High Beam (AHB)[†] >>>

- Hill Descent Control (HDC)⁺ >>>
- Hill Launch Assist (HLA)⁺ >>>
- Lane Departure Warning (LDW)[†] >>>
- Lane Departure Prevention (LDP)[†] **》**
- Lane-keep Assist System (LAS) >>> (automatic models)[†]
- Locking Rear Differential (LRD) A switchable on/off (4X4 models)
- Rear Cross Traffic Alert (RCTA)⁺ >>
- Rear parking sensors (Pickup models only)
- Roll Over Protection (ROP)[†] >>>
- Secondary Collision Reduction⁺ >>>
- Speed Assist System[†] >>>
- Traction Control System (TCS)⁺ >>>
- Turn Assist[†] >>>

- Max power: 140kW @ 3,600 rpm **>>**
- Max torque: 450Nm @ >> 1,600 – 2,600rpm

Fuel consumption (combined): 8.0L/100km^{*} (4x2 cab chassis auto) or 7.7L/100km^{*} (4x2 pickup auto) or 8.0L/100km^{*} (4x4 cab chassis man/auto) or 7.7L/100km* (4x4 pickup man) or 8.0L/100km^{*} (4x4 pickup auto)







MAZDA BT-50 DUAL CAB XTR – ADDITIONAL TO XT

- 18-inch black and machined alloy wheels
- Exterior mirrors with power folding function
- Front fog lamps (LED)
- Side steps (silver)

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x2 or 4x4



18-INCH ALLOY WHEELS The big, bold and unique design looks great and command attention wherever you go.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. [#]Leather interior includes some Maztex material on selected high impact surfaces.

- Signature daytime running lamps **>>**
- Carpet floor covering **》**
- Headlamps (LED) with signature >>> illumination and auto levelling
- Dual zone climate control air-conditioning with rear vents
- Leather[#] wrapped steering wheel >>> and gear knob

- Auto-dimming interior mirror **》**
- Rear seat with centre armrest >>>
- 9-inch full-colour touch screen **>>**
- Satellite navigation >>>
- Advanced keyless entry >>>

- Max power: 140kW @ 3,600 rpm >>
- Max torque: 450Nm @ **>>** 1,600 – 2,600rpm

Fuel consumption (combined): 7.7L/100km^{*} (4x2 auto) or 7.7L/100km^{*} (4x4, man) or 8.0L/100km^{*} (4x4, auto)

SIDE STEPS

Access to your Mazda BT-50 is made easier with these sturdy and functional side steps.

DUAL ZONE CLIMATE CONTROL

You can be sure everyone on board travels in comfort, including rear seat passenger who enjoy their own air vents.





MAZDA BT-50 DUAL CAB GT – ADDITIONAL TO XTR

- Exterior mirrors (chrome) with heating function
- Seat trim: Brown leather[#] >>>
- Driver's seat with 8-way power **>>** adjustment

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x4



BROWN LEATHER[#] SEAT TRIM leather[#] seats.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. #Leather interior includes some Maztex material on selected high impact surfaces. ^ Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.

- Heated front seats **》**
- Remote engine start (automatic models)[^]
- Front parking sensors >>>

- Max power: 140kW @ 3,600 rpm **》**
- Max torque: 450Nm @ **》** 1,600 - 2,600rpm
- Fuel consumption (combined): >>> 7.7L/100km^{*} (4x4, man) or 8.0L/100km^{*} (4x4, auto)

Enjoy the feeling of true quality and comfort that comes from being wrapped in the luxurious, deep brown

REMOTE ENGINE START

Now you can start your Mazda BT-50 from outside the vehicle, enabling you to heat or cool the cabin before you enter.

FRONT PARKING SENSORS This always-handy safety feature means you can park like a pro every time.







MAZDA BT-50 DUAL CAB SP - ADDITIONAL TO GT

- 18-inch black metallic >> alloy wheels
- Gloss black sail plane sports bar >>>
- Grey side steps **>>**
- Gloss black fender flares

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x4



DARK METALLIC ROOF RAILS Dark metallic grey roof rails serve as the perfect frame for the sleek presence of Mazda BT-50 SP.

* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. #Leather interior includes some Maztex material on selected high impact surfaces.

- Grey roof rails **>>**
- Gloss black exterior mirrors >>
- Gloss black door and tailgate **>>** handles
- Roller tonneau cover (manual >>> operation)
- Black grille with gunmetal **》** signature wing
- Seat trim: Black & Driftwood >> leather[#] with synthetic suede

- » Max power: 140kW @ 3,600rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- Fuel consumption (combined): >>> 7.7L/100km* (4x4 man) or 8.0L/100km^{*} (4x4 auto)

SAIL-PLANE SPORTS BAR

Bringing a sleek aero touch to the tub, the gloss black sail-plane sports bar adds to the overall sport-luxe look.

BLACK AND DRIFTWOOD LEATHER TRIM The black and driftwood leather with synthetic suede trim ensures you're surrounded by style.





MAZDA BT-50 DUAL CAB THUNDER – ADDITIONAL TO GT

- **》**
- >>>
- Black alloy sports bar \gg
- Black side steps

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x4 >>>
- Max power: 140kW @ 3,600 rpm



§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. #Leather interior includes some Maztex material on selected high impact surfaces. ^ Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.

- 18-inch black alloy wheels
- Black single hoop bull bar

- Black fender flares >>
- Electric roller tonneau cover >>>
- Lightforce[®] 20-inch dual-row >>> LED lightbar
- "Thunder" decals >>>
- Tub liner >>

- Max torque: 450Nm **》** @ 1,600-2,600rpm
- Fuel consumption (combined): >>> 7.7L/100km* (4x4 man) or 8.0L/100km^{*} (4x4 auto)



Push your BT-50 to the limits with this tough bull bar helping keep you and your ute safe. The LED light bar ensures you have optimum visibility wherever you go. central locking.

ELECTRIC ROLLER TONNEAU COVER A tonneau cover which has it all. Made from durable and weather resistant aluminium, this electric cover fully integrates with your BT-50's remote


BLACK ALLOYS AND FENDER FLARES You will love the look of these bold black alloys and fender flares. They look great on the road and off while adding a new level of toughness.



Production of the set o	SPECIFICATIO	N NS				4X2			
<table-container>American Protect Ingite regime Ingite regime Ingite</table-container>	JI LOTTO//TR	5115							
Intersection Product Section Section Section Section Fight capachy N.898xc 2.999xc 1,898xc 3.989xc Boarnal Subsec N.800xr N.800xr Section 3.989xc 3.989xc Conjection ratio N.800xr N.800xr Section 3.800 (N.980xc) 0.830xr Maximum nameer 10.890xr Section (Arke by wit) Section (Arke by wit) 3.800 (N.980xr) 0.800xr 3.800 (N.980xr) 0.800xr) Section (Arke by wit) Section	Powertrain		Chassis	Chassis	Chassis	Chassis	Pickup	Pickup	Pickup
<table-container> Issue adiational 80.0mm s 94.4mm 95.4mm x 104.9mm 80.0mm x 94.4mm 95.4mm x 104.9mm 96.0mm x 104.9mm 96.0mm 95.4mm x 104.9mm 96.0mm 95.4mm 95.4mm</table-container>	Engine type		4 cylinder 16 valve DOHC	3.0 litre in-line	4 cylinder 16 valve DOHC	intercooled turbo diesel	4 cylinder 16 valve DOHC	3.0 litre in-line 4 cylinde turl	er 16 valve DOHC intercoc bo diesel
<table-container>Compresion ratio16.5:1<td>Engine capacity</td><td></td><td>1,898cc</td><td></td><td>2,999cc</td><td></td><td>1,898cc</td><td>2</td><td>,999сс</td></table-container>	Engine capacity		1,898cc		2,999cc		1,898cc	2	,999сс
<table-container>Maximum prove110kW @ 3.00 pm110kW @ 3.00 pm110kW @ 3.00 pm140kW @ 3.00 pmMaximum torque350 e1.800 2.00 pm350 e1.800 2.00 pm350 e1.800 2.00 pm450 e1.000 2.60 pmMaximum torque350 e1.800 2.00 pm350 e1.800 2.00 pm350 e1.800 2.00 pm450 e1.000 2.60 pmIndet set on torus50 e1.800 2.00 pm50 e1.800 2.60 pm50 e1.800 2.60 pm50 e1.800 pmIndet set on torus50 e1.800 pm50 e1.800 pm50 e1.800 pm50 e1.800 pmIndet set on torus70 mm70 mm70 mm70 mm70 mmFalse commend torus70 mm70 mm70 mm70 mm</table-container>	Bore and stroke		80.0mm x 94.4mm		95.4mm x 104.9m	m	80.0mm x 94.4mm	95.4mn	n x 104.9mm
<table-container> Maximu torque 350 § 1,800-2,600pm 350 § 1,800-2,600pm 450 § 1,800-2,600pm 450 § 1,800-2,600pm Indext control Uectoric (dires by-wie) Extoric (dires by-wie) Extoric (dires by-wie) Common sile, dectoric Indext control direct injections offers Soft (dires by-wie) Common sile, dectoric Common sile, d</table-container>	Compression ratio		16.5 : 1		16.3 : 1		16.5 : 1	1	6.3 : 1
<table-container>Inductorial field sparseExtending field sparseExtendingExtending field sparseExtending field sparseExtending field sparseExtending field sparseExtending field sparseExtending field sparseExtending field sparseExtending </br></br></table-container>	Maximum power		110kW @ 3,600rpm		140kW @ 3,600rp	m	110kW @ 3,600rpm	140kW	@ 3,600rpm
<table-container>Part state st</table-container>	Maximum torque		350 @ 1,800-2,600rpm		450 @ 1,600-2,600	rpm	350 @ 1,800-2,600rpm	450 @ 1,	600-2,600rpm
direct injectionPued namedirect injectionPued namedirect injectionPactonsamplionname (colspan="4">direct injectionname (colspan="4">direct injectiondirect injectionPued consumplionname (colspan="4">direct injectionname (colspan="4">direct injectiondirect injectionname (colspan="4">direct injectiondirect injectionname (colspan="4">direct injectiondirect injectionPued consumplionname (colspan="4">direct injectionname (colspan="4">direct injectiondirect injectiondirect injectionName	Throttle control		Electronic (drive-by-wire)		Electronic (drive-by-v	wire)	Electronic (drive-by-wire)	Electronic	(drive-by-wire)
Recommended fuelIndicess <th< td=""><td>Fuel system</td><td></td><td></td><td>Co</td><td>ommon-rail, electronic dire</td><td>ect injection</td><td></td><td>Common-rail, ele</td><td>ectronic direct injection</td></th<>	Fuel system			Co	ommon-rail, electronic dire	ect injection		Common-rail, ele	ectronic direct injection
<table-container>Index parameter par</table-container>	Fuel tank capacity		76 litres		76 litres		76 litres	7	6 litres
<table-container>auto (combined)5.08.08.08.06.77.77.7manual (extra urban)<!--</td--><td>Recommended fuel</td><td></td><td>Diesel</td><td></td><td>Diesel</td><td></td><td>Diesel</td><td></td><td>Diesel</td></table-container>	Recommended fuel		Diesel		Diesel		Diesel		Diesel
Inductation auto end auto end auto end mand (urban) <td>Fuel consumption*</td> <td>manual (combined)</td> <td>-</td> <td>—</td> <td>-</td> <td>—</td> <td>—</td> <td>-</td> <td>-</td>	Fuel consumption*	manual (combined)	-	—	-	—	—	-	-
<table-container>ato (xtra urban) manal (urban)6.66.96.96.06.76.76.7manal (urban) a (urban)<</table-container>		auto (combined)	7.0	8.0	8.0	8.0	6.7	7.7	7.7
<table-container>nanal (uban)<t< td=""><td></td><td>manual (extra urban)</td><td>-</td><td>_</td><td>—</td><td>_</td><td>_</td><td>_</td><td>_</td></t<></table-container>		manual (extra urban)	-	_	—	_	_	_	_
<table-container>induction7.99.89.89.89.39.39.59.5Ensions standard</table-container>		auto (extra urban)	6.6	6.9	6.9	6.9	6.0	6.7	6.7
Entisions standardEuro stage VEuro stage VAlternator12 volts - 90 amps12 volts - 90 ampsManual transmissionAutomatic transmission6 - speed6 - speedGear ratio - manual/auto paranaul/auto fada13.6003.600Automatic transmission13.6003.600Automatic transmission13.6003.600Automatic transmission13.6003.600Automatic transmission13.6003.600Automatic transmission13.6003.600Automatic transmission13.6003.600Automatic transmission14.883.600Automatic transmission1.4881.488Automatic transmission1.6001.000Automatic transmission1.60670.687Automatic transmission0.6870.687Automatic transmission0.5800.687Automatic transmission0.5800.580Automatic transmission1.41003.727Automatic transmissionAutomatic transmiss		manual (urban)	-	—	—	_	—	-	—
Alterator $12 vols - 9 angs$ Manual transmission - Automatic transmission - Automatic transmission - Automatic transmission - Automatic transmission - Gear ratio - manual/auto 1st Ge-speed 6-speed Automatic transmission 1st 3.600 3.600 3.600 Automatic transmission 1st 3.600 3.600 3.600 3.600 Gear ratio - manual/auto 1st 3.600 3.600 3.600 3.600 3.600 3.600 Automatic transmission 1st 3.600 <t< td=""><td></td><td>auto (urban)</td><td>7.9</td><td>9.8</td><td>9.8</td><td>9.8</td><td>8.3</td><td>9.5</td><td>9.5</td></t<>		auto (urban)	7.9	9.8	9.8	9.8	8.3	9.5	9.5
Manual transmissionAutomatic transmission6-speed6-speedGear ratio - manual/auto For a for a fo	Emissions standard		Euro stage V			Eur	ro stage V		
Automatic transmission6-speed6-speed6-speed6-speedGear ratio - manual/auto Fear ratio - manual/auto Automatic transmission143.6003.6003.600Fear ratio - manual/auto Automatic transmission143.6003.6003.6003.600Fear ratio - manual/auto Automatic transmission1.0001.0002.0902.0902.090Fad ratio Automatic transmission1.0001.0001.0001.0001.000Function Function0.6870.6870.6870.6870.687Function Function0.5800.5800.5800.5800.580Function Function0.4.1003.7273.7323.7323.732Functor Function FunctionFunction Function	Alternator		12 volts – 90 amps			12 vol	ts – 90 amps		
Gear ratio - manual/auto Fear ratio - manual/auto Auto 1st Auto Auto 1st 2.090 3.000 3.000 3.000 2nd 2.090 3.000 3.000 3.000 3rd 1.488 1.488 1.488 1.488 4th 1.000 1.000 1.000 1.000 5th 0.687 0.687 0.687 0.687 6th 0.580 0.580 0.580 0.580 reverse 3.732 3.732 3.732 3.732 find drive 4.100 3.727 4.100 3.727 Tansfer gear high - - -	Manual transmission		_				—		
Pade Pade <th< td=""><td>Automatic transmission</td><td></td><td>6-speed</td><td></td><td>6-speed</td><td></td><td>6-speed</td><td>6</td><td>-speed</td></th<>	Automatic transmission		6-speed		6-speed		6-speed	6	-speed
Image: Note of the system Im	Gear ratio – manual/auto	1st	3.600		3.600		3.600		3.600
4th 1.000 1.000 1.000 5th 0.687 0.687 0.687 6th 0.580 0.580 0.580 reverse 3.732 3.732 3.732 fnal drive 4.100 3.727 4.100 Transfer gen high - -		2nd	2.090		2.090		2.090		2.090
5h 0.687 0.687 0.687 6h 0.580 0.580 0.580 reverse 3.732 3.732 3.732 final drive 4.100 3.727 4.100 3.727		3rd	1.488		1.488		1.488		1.488
6h 0.580 0.580 0.580 reverse 3.732 3.732 3.732 final drive 4.100 3.727 4.100 3.727 Transfer gear high - - - -		4th	1.000		1.000		1.000	· · · · · · · · · · · · · · · · · · ·	1.000
reverse 3.732 3.732 3.732 final drive 4.100 3.727 4.100 3.727 Transfer gear high -		5th	0.687		0.687		0.687		0.687
final drive 4.100 3.727 Transfer gear high - -		6th	0.580		0.580		0.580		0.580
Transfer gear – –		reverse	3.732		3.732		3.732		3.732
		final drive	4.100		3.727		4.100		3.727
	Transfer gear	high	-		_		_		_
		low	-		_		_		_


and road conditions and how the vehicle is driven.

* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic




SPECIFICATIO	DNS						4X4				
Powertrain		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Engine type		3.0 litre	e in-line 4 cylinder 16 v	alve DOHC interco	oled turbo diesel	1.9 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel		3.0 litre in-line 4	cylinder 16 valve DO	HC intercooled turb	o diesel
Engine capacity			2	2,999cc		1,898cc			2,999cc		
Bore and stroke			95.4mr	m x 104.9mm		80.0mm x 94.4mm			95.4mm x 104.	9mm	
Compression ratio			1	6.3 : 1		16.5 : 1			16.3 : 1		
Maximum power			140kW	/ @ 3,600rpm		110kW @ 3,600 rpm			140kW @ 3,60	Drpm	
Maximum torque			450 @ 1,	,600-2,600rpm		350 @ 1,800- 2,600rpm			450 @ 1,600-2,6	00rpm	
Throttle control			Electronic	c (drive-by-wire)		Electronic (drive-by-wire)			Electronic (drive-b	y-wire)	
Fuel system			Common-rail, ele	ectronic direct inject	tion	Common-rail, electronic direct injection		Corr	nmon-rail, electronic	direct injection	
Fuel tank capacity			7	76 litres		76 litres			76 litres		
Recommended fuel				Diesel		Diesel			Diesel		
Fuel consumption*	manual (combined)	8.0	8.0	8.0	—	—	7.7	7.7	7.7	7.7	7.7
	auto (combined)	8.0	8.0	8.0	8.0	6.9	8.0	8.0	8.0	8.0	8.0
	manual (extra urban)	6.7	6.7	6.7	—	-	6.6	6.6	6.6	6.6	6.6
	auto (extra urban)	6.9	6.9	6.9	6.9	6.3	6.9	6.9	6.9	6.9	6.9
	manual (urban)	10.2	10.2	10.2	—	-	9.7	9.7	9.7	9.7	9.7
	auto (urban)	9.8	9.8	9.8	9.8	8.1	9.8	9.8	9.8	9.8	9.8
Emissions standard						Euro stage V					
Alternator				, and a d		12 volts - 90 amp	S				
Manual transmission				-speed		— (6-speed		
Automatic transmission	1st			-speed		6-speed 3.600			6-speed	0	
Gear ratio – manual/auto	2nd			42 / 3.600 52 / 2.090		2.090			4.942 / 3.60 2.452 / 2.09		
	3rd			28 / 1.488		1.488			1.428 / 1.48		
	4th			00 / 1.000		1.000			1.000 / 1.00		
	5th			19 / 0.687		0.687			0.749 / 0.68		
	6th			34 / 0.580		0.580			0.634 / 0.58		
	reverse			97 / 3.732		3.732			4.597 / 3.73		
	final drive			3.727		4.100			3.727		
Transfer gear	high			1.000		-			1.000		
	low			2.482		_			2.482		

* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



SPECIFICAT	IONS						4X2				
Chassis		Single Cab Chassis XS	Single Chassis XT		Freestyle Cab Chassis XT	Dual Cab Chassis XT		Dual Cab Pickup XS	Dual Cab Pickup XT	Pi	ual Cab ickup TR
Brake diameter	front					-	320 mm				
brake didificter	rear						295 mm				
Brake type	front						tilated disc				
71	rear						Drum				
Steering type						Electric Power	Assist Steering (EP	AS)			
Suspension type	front				Indepe	ndent double wishbo	C				
. ,.	rear		Rig	gid (live) rear axle w	vith heavy-duty leaf spr				Rigid (live) rear ax	le with leaf springs	
Turning circle	kerb to kerb		, , , , , , , , , , , , , , , , , , ,		, , , .		12.5 m				
Tyre size		255/65 R17	255/65	5 R17	255/65 R17	255/65 R	.17	255/65 R17	255/65 R17	26	65/60 R18
Tyre index							110S				
Wheel size		17 x 7.0 J	17 x 7.	J J	17 x 7.0 J	17 x 7.0 J		17 x 7.0 J	17 x 7.0 J	18	8 x 7.5 J
Wheel type		Steel	Alloy		Alloy	Alloy		Steel	Alloy	Al	lloy
Wheel size (spare)		17 x 7.0 J	17 x 7.	J J	17 x 7.0 J	17 x 7.0 J		17 x 7.0 J	17 x 7.0 J	18	8 x 7.5 J
Wheel type (spare)		Steel	Steel		Steel	Steel		Steel	Steel	Al	lloy
Chassis		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	4X4 Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Chassis	fuent		AI	AI				AIK	01	JF	munder
Brake diameter	front						320 mm				
Brake type	rear front						295 mm tilated disc				
brake type	rear					Ven	Drum				
Steering type	icai					Electric Power	Assist Steering (EP	AS)			
Suspension type	front				Indene	ndent double wishbo	C				
	rear		Rigid (live) rear axle	with heavy-duty lea					r axle with leaf springs		
Turning circle	kerb to kerb						12.5 m				
Tyre size		255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	265/60 R18	265/60 R18	265/60 R18	265/60 R18
Tyre index		,	,	,		,	110S	,		,	,
Wheel size		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J
Wheel type		Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
Wheel size (spare)		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Alloy	Alloy	Alloy	Alloy

SPECIFICAT	IONS						4X2				
Chassis		Single Cab Chassis XS	Single C Chassis XT		Freestyle Cab Chassis XT	Dual Cab Chassis XT		Dual Cab Pickup XS	Dual Cab Pickup XT	I	Dual Cab Pickup KTR
Brake diameter	front						20 mm				
Drake diameter	rear						95 mm				
Brake type	front						ilated disc				
brake type	rear						Drum				
Steering type							Assist Steering (EP/	45)			
Suspension type	front				Indeper	ndent double wishbor	C	-			
	rear		Rig	id (live) rear axle wi	th heavy-duty leaf spri		0		Rigid (live) rear axl	e with leaf spring	<u>(</u> S
Turning circle	kerb to kerb		0		7 7 1		l 2.5 m		0 ()		,
Tyre size		255/65 R17	255/65	R17	255/65 R17	255/65 R ²		255/65 R17	255/65 R17		265/60 R18
Tyre index					,		1105				
Wheel size		17 x 7.0 J	17 x 7.0	J	17 x 7.0 J	17 x 7.0 J		17 x 7.0 J	17 x 7.0 J		I 8 x 7.5 J
Wheel type		Steel	Alloy		Alloy	Alloy		Steel	Alloy	/	Alloy
Wheel size (spare)		17 x 7.0 J	17 x 7.0	J	17 x 7.0 J	17 x 7.0 J		17 x 7.0 J	17 x 7.0 J		l 8 x 7.5 J
Wheel type (spare)		Steel	Steel		Steel	Steel		Steel	Steel	/	Alloy
		Single Cab Chassis	Freestyle Cab Chassis	Dual Cab Chassis	Dual Cab Chassis	Dual Cab Pickup	4X4 Dual Cab Pickup	Dual Cab Pickup	Dual Cab Pickup	Dual Cab Pickup	Dual Cab Pickup
Chassis		ХТ	ХТ	ХТ	XTR	XS	XT .	XTR	GT	SP	Thunder
Brake diameter	front										
	rear					3	20 mm				
Brake type							20 mm 95 mm				
	front					2					
	front rear					2 Vent	95 mm				
Steering type						2 Vent	95 mm ilated disc	AS)			
Steering type Suspension type					Indeper	2 Vent	95 mm ilated disc Drum Assist Steering (EP/				
Suspension type	rear		Rigid (live) rear axle v	vith heavy-duty leaf	-	2 Vent Electric Power	95 mm ilated disc Drum Assist Steering (EP/	and anti-roll bar	r axle with leaf springs		
	rear front		Rigid (live) rear axle v	vith heavy-duty leaf	-	2 Vent Electric Power A ndent double wishbor	95 mm ilated disc Drum Assist Steering (EP/	and anti-roll bar	r axle with leaf springs		
Suspension type	rear front rear	255/65 R17	Rigid (live) rear axle v 255/65 R17	vith heavy-duty leaf 255/65 R17	-	2 Vent Electric Power A ndent double wishbor	95 mm ilated disc Drum Assist Steering (EP/ ne with coil springs	and anti-roll bar	axle with leaf springs 265/60 R18	265/60 R18	265/60 R18
Suspension type Turning circle	rear front rear				springs	2 Vent Electric Power / ndent double wishbor 255/65 R17	95 mm ilated disc Drum Assist Steering (EP ne with coil springs 12.5 m	s and anti-roll bar Rigid (live) rear			265/60 R18
Suspension type Turning circle Tyre size	rear front rear				springs	2 Vent Electric Power / ndent double wishbor 255/65 R17	95 mm ilated disc Drum Assist Steering (EP ne with coil springs 12.5 m 255/65 R17	s and anti-roll bar Rigid (live) rear			265/60 R18 18 x 7.5 J
Suspension type Turning circle Tyre size Tyre index Wheel size Wheel type	rear front rear	255/65 R17 17 x 7.0 J Alloy	255/65 R17 17 x 7.0 J Alloy	255/65 R17 17 x 7.0 J Alloy	springs 255/65 R17 17 x 7.0 J Alloy	2 Vent Electric Power / ndent double wishbor 255/65 R17 17 x 7.0 J Alloy	95 mm ilated disc Drum Assist Steering (EP) ne with coil springs 12.5 m 255/65 R17 110S 17 x 7.0 J Alloy	and anti-roll bar Rigid (live) rear 265/60 R18 18 x 7.5 J Alloy	265/60 R18 18 x 7.5 J Alloy	265/60 R18 18 x 7.5 J Alloy	18 x 7.5 J Alloy
Suspension type Turning circle Tyre size Tyre index Wheel size	rear front rear	255/65 R17 17 x 7.0 J	255/65 R17 17 x 7.0 J	255/65 R17 17 x 7.0 J	springs 255/65 R17 17 x 7.0 J	2 Vent Electric Power / ndent double wishbor 255/65 R17 17 x 7.0 J	95 mm ilated disc Drum Assist Steering (EP/ ne with coil springs 12.5 m 255/65 R17 110S 17 x 7.0 J	and anti-roll bar Rigid (live) rear 265/60 R18 18 x 7.5 J	265/60 R18 18 x 7.5 J	265/60 R18 18 x 7.5 J	18 x 7.5 J



SPECIFICATIO	N S				4X2								4	X4				
Weights and capacities		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Picku Thunc
Axle capacity	front				1,450 kg								1,4	50 kg				
	rear				1,910 kg								1,9	10 kg				
	manual	_	—	—	_	—	_	—	5,950 kg	5,950 kg	5,950 kg	_	_	5,950 kg	5,950 kg	5,950 kg	5,950 kg	5,950
(GCM) ¹	auto	5,500 kg	5,850 kg	5,850 kg	5,850 kg	5,500 kg	5,850 kg	5,850 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	5,500 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000
Gross Vehicle Mass (GVM) ²	manual	_	_	_	—	_	_	_	3,100 kg	3,100 kg	3,100 kg	_	_	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100
	auto	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100
Kerb weight ³	manual	_	_	_	_	_	_	_	1,760 kg	1,830 kg	1,880 kg	_	_	2,005 kg	2,020 kg	2,025 kg	2,198 kg	2,203
	auto	1,620 kg	1,685 kg	1,755 kg	1,805 kg	1,865 kg	1,925 kg	1,945 kg	1,770 kg	1,840 kg	1,890 kg	1,910 kg	1,935 kg	2,010 kg	2,030 kg	2,035 kg	2,208 kg	2,213
0	manual	_	_	_	_	—	—	_	1,904 kg	1,955 kg	1,994 kg	—	_	_	_	_	—	—
Mazda Standard Alloy Tray ³	auto	1,764 kg	1,829 kg	1,880 kg	1,919 kg	_	_	_	1,914 kg	1,965 kg	2,004 kg	2,024 kg	_	_	_	_	—	—
Payload ⁴	manual	_	_	_	_	_	_	_	1,340 kg	1,270 kg	1,220 kg	—	_	1,095 kg	1,080 kg	1,075 kg	902 kg	897 k
	auto	1,380 kg	1,315 kg	1,245 kg	1,195 kg	1,135 kg	1,075 kg	1,055 kg	1,330 kg	1,260 kg	1,210 kg	1,190 kg	1,165 kg	1,090 kg	1,070 kg	1,065 kg	892 kg	887 k
/	manual	—	_	—	—	—	—	—	1,196 kg	1,145 kg	1,106 kg	—	—	_	—	—	—	—
Mazda Standard Alloy Tray ⁴	auto	1,236 kg	1,171 kg	1,120 kg	1,081 kg	—	—	—	1,186 kg	1,135 kg	1,096 kg	1,076 kg	—	—	_	—	—	—
Seating capacity		2	2	2	5	5	5	5	2	2	5	5	5	5	5	5	5	5
Tow ball download [®]	maximum				350 kg								35	60 kg				
Towing capacity [¶]	braked	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,50
	unbraked				750 kg								75	60 kg				

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

1 Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.

2 Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

3 Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

4 Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.




SPECIFICA	TIONS				4X2								42	X4				
Dimensions		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Cargo box floor heigh	t to ground (mm)	_	—	—	_	828	828	833	—	_	_	_	828	828	833	833	833	833
Cargo box floor length	n (mm)	_	_	_	_	1,571	1,571	1,571	_	_	_	_	1,571	1,571	1,571	1,571	1,571	1,571
Cargo box floor width b	etween wheel arches	—	_	_	—	1,120	1,120	1,120	_	_	_	_	1,120	1,120	1,120	1,120	1,120	1,120
Cargo box width at to	p rail (mm)	_	_	-	_	1,530	1,530	1,530	—	—	_	-	1,530	1,530	1,530	1,530	1,530	1,530
Cargo box height (mm	ו)	—	_	_	—	490	490	490	_	_	_	_	490	490	490	490	490	490
Ground clearance (mm)): Unladen	235	235	235	235	235	235	240	235	235	235	240	235	235	240	240	240	240
Overall height (mm)		1,790	1,790	1,800	1,800	1,785	1,785	1,790	1,790	1,800	1,800	1,800	1,785	1,785	1,790	1,790	1,810	1,790
Overall length (mm)		5,320	5,320	5,280	5,280	5,280	5,280	5,280	5,320	5,280	5,280	5,280	5,280	5,280	5,280	5,280	5,280	5,470
Overall width (mm)	Excluding mirrors	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,942
	Mirrors folded	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,942
	Mirrors open	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160
Overhang (mm):	Front	905	905	905	905	905	905	905	905	905	905	905	905	905	905	905	905	1,095
	Rear	1,290	1,290	1,250	1,250	1,250	1,250	1,250	1,290	1,250	1,250	1,250	1,250	1,250	1,250	1,250	1,250	1,250
Track (mm):	Front	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570
	Rear	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570
Wading depth (mm)		800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
Wheelbase (mm)		3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125
Approach angle (°)		29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.4°	29.6°	29.6°	29.6°	30.0°	30.0°	30.0°	30.4°	30.4°	27.0°	25.8°
Departure angle (°)		24.6°	24.6°	25.3°	25.3°	23.9°	23.9°	24.2°	24.6°	25.3°	25.3°	25.6°	23.9°	23.9°	24.2°	24.2°	24.2°	24.2°
Ramp breakover angle	e (°)	23.9°	23.9°	23.9°	23.9°	23.3°	23.3°	23.8°	23.9°	23.9°	23.9°	24.3°	23.3°	23.3°	23.8°	23.8°	24.3°	23.8°

SPECIF	ICATIONS				4X2								4	X4				
Exterior		Single Cab Chassis XS	Single Cab Chassis XT	 Freestyle Cab Chassis XT 	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dua Pick Thur
Alloy wheels	17-inch silver	_	•	•	•	_	•	_	•	•		_	•		_	_	_	_
	18-inch black and machined	_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	_	_
	18-inch metallic black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•	_
	18-inch satin black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Bull bar	Single hoop, black steel	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Cargo box	Double wall construction	_	_	_	_	•	•	•	_	_	_	_	•	•	•	•	•	•
features:	Interior rope hooks (2)	—	_	—	_	_	_	_	—	_	—	_	—	_	—	—	•	_
	Interior rope hooks (4)	—	—	—	—	•	•	•	—	—	—	_	•	•	•	•	—	
	Lockable Centre tailgate release (body colour)	—	_	-	_	•	•	_	_	—	_	—	•	•	_	_	_	—
	Lockable Centre tailgate release (chrome)	—	—	—	_	—	—	•	—	—	—	_	—	—	•	•	_	•
	Lockable Centre tailgate release (gloss black)	—	—	—	—	_	—	—	—	_	—	_	—	—	—	—	•	—
	Roller tonneau cover (manual operation)	—	_	_	_	_	_	_	_	_	_	_	—	_	_	_	•	—
	Roller tonneau cover (electric operation)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
	Tub liner	—	_	_	_	_	—	_	_	_	_	_	_	_	_	_	•	
Daytime runn	ing lamps (halogen)	•	•	•	•	•	•	_	•	•	•	•	•	•	_	_	_	—
Daytime runn	ing lamps (LED)	_	_	_	_	—	_	•	_	_	_	—	—	_	•	•	•	
Door	Body Colour	•	•	•	•	•	•	_	•	•	•	_	•	•	_	_	_	—
handles	Gloss black	_	_	_	_	_	_	_	—	_	_	_	_	_	_	_	•	—
	Chrome	—	—	_	_	_	_	•	_	—	—	•	—	—	•	•	—	•
Fog-lamps (fro	ont)	—	_	—	—	—	_	•	_	—	—	—	—	—	•	•	•	
Freestyle door	rsystem	—	—	•	—	—	_	—	—	•	—	—	—	—	—	—	—	—
Fuel filler cap	(lockable)	•	•	•	•	—	—	—	•	•	•	•	—	—	—	—	—	—
Fuel filler flap	(remote release)	—	—	—	—	•	•	•	—	—	—	—	•	•	•	•	•	•
Headlamps (L	ED) with manual levelling	•	•	•	•	•	•	—	•	•	•	—	•	•	—	—	—	—
Headlamps (L and auto leve	ED) with signature illumination lling	_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	•	•
Lightbar	Lightforce [®] 20-inch 2-Row LED	—	—	_	—	_	—	_	_	—	_	—	—	—	_	_	—	•
Metallic/mica	a paint	0	О	0	0	О	О	0	0	О	0	О	0	О	0	0	0	0
Mudflaps	Front	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Rear	—	—	—	—	•	•	•	—	—	—	—	•	•	•	•	•	•


• = Standard, O = Option, - = Not available.





SPECIFICATI	ONS				4X2								4	X4				
Exterior		Single Cat Chassis XS	b Single Cal Chassis XT	o Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	 Freestyle Cab Chassis XT 	Dual Cab Chassis XT	Dual Cab Chassis XTR			Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Pickt Thur
Exterior mirrors E	Body Colour	•	•	•	•	•	•	•	•	•	•	•	•	•	•	—	—	_
(Chrome	—	—	—	—	_	_	—	—	—	—	_	—	—	—	•	—	
(Gloss black	—	—	—	—	_	_	—	_	—	—	_	—	—	—	—	•	—
V	With power adjustment	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
V	With power folding function	_	—	—	_	_	_	•	_	_	_	•	—	—	•	•	•	•
V	With heating function	_	—	_	_	_	_	_	_	_	_	_	—	_	_	•	•	•
Power windows		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear step bumper E	Body colour	_	—	_	_	•	•	•	_	_	_	_	•	•	•	•	•	
Roof rails		—	—	—	_	_	_	—	_	_	_	_	—	—	—	_	•	—
Side steps C	Grey / silver	—	—	—	_	_	_	•	_	_	-	•	—	—	•	•	_	—
(Grey	—	—	—	_	_	_	—	_	_	_	_	—	—	—	_	•	—
E	Black	_	—	—	_	_	_	_	_	_	_	_	—	—	—	_	_	
Sports bar E	Black sail plane	—	—	—	_	_	_	_	_	_	—	_	—	—	—	_	•	
E	Black steel	—	—	—	_	_	-	—	_	_	_	_	—	—	—	_	_	
Under-body impact protect	tion	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

• = Standard, \bigcirc = Option, - = Not available.



CDECIEIC ATIONIC

SPECIFICATIONS				4X2								4	-X4				
	Single Cab Chassis XS	b Single Cab Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dua Pick Thur
Interior			ХТ						ХТ								
4.2-in Colour LCD Multi Information Display	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Adaptive Cruise Control (ACC) with Stop & Go	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А
Air-conditioning	•	•	•	•	•	•	_	•	•	•	—	•	•	—	_	—	—
Air-conditioning (dual-zone climate control)	_	—	_	_	_	_	•	_	_	_	•	_	—	•	•	•	
Ambient temperature display	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Auxiliary 12 volt power outlet	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Centre armrest console	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Convenience hook (rear of passenger seat)	_	—	•	•	•	•	•	_	•	•	•	•	•	•	•	•	
Critical function warning lights/chimes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Cruise Control	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Cupholders	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Door pockets	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Driver's left footrest	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Floor covering: Vinyl	•	•	•	•	•	•	_	•	•	•	_	•	•	—	_	—	—
Carpet	_	—	_	—	_	_	•	_	_	_	•	—	_	•	•	•	
Glove box (upper)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Glove box (lower, lockable)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Headlamps auto on/off function	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Instrument panel light dimmer	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Interior illumination: Dome lamp	—	—	•	•	•	•	•	_	•	•	•	•	•	•	•	•	
Map reading spot lamps	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Leather-wrapped: Gear shift knob	_	—	_	—	_	_	•	_	_	_	•	_	—	•	•	•	
Steering wheel	_	—	_	—	_	_	•	_	_	_	•	_	—	•	•	•	
Low fuel warning light	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
One touch (up and down) power window (driver)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Overhead sunglass storage box	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Passenger assist grips	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rear-view mirror with auto dimming function	—	—	-	-	—	_	•	—	—	—	•	—	—	•	•	•	•
Tachometer and electronic odometer/tripmeter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tilt and reach adjustable steering wheel	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

• = Standard, - = Not available, A = Automatic transmission only.




SPECIFICA	ATIONS				4X2								42	X4				
Interior		Single Cal Chassis XS	b Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Trip computer		•			•		•	•	•	•			•		•	•	•	•
Vanity mirror (driver)		_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	•	•
Vanity mirror (front p		•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
Window demister (re	-	_	_	•	•	•	•	•	_	•	•	•	•	•	•	•	•	•
	ed with rain-sensing function	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Charging Port (fr	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Charging Port (re		_	_	_	•	•	•	•	_	_	•	•	•	•	•	•	•	•
Seats																		
Front seat (driver	8-way power adjustment	—	—	_	—	—	—	_	—	_	—	_	—	—	—	•	•	•
bucket) with:	Adjustable head restraint	-	_	•	•	•	•	•	_	•	•	•	•	•	•	•	•	•
	Height adjustment	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Lumbar adjustment	-	_	_	_	_	_	•	_	_	_	•	_	_	•	•	•	•
	Rake and slide adjustment	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Front seat	Adjustable head restraint	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(passenger bucket) with:	Rake and slide adjustment	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Seat back pocket	-	—	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•
	Seat back convenience hook	-	—	•	•	•	•	•	_	•	•	•	•	•	•	•	•	•
Front seats with:	Heating function	-	—	—	—	—	—	—	—	—	—	—	—	—	—	•	•	•
Rear seat (bench) with:	Adjustable head restraints	-	—	—	•	•	•	•	—	—	•	•	•	•	•	•	•	•
vvicii.	Centre armrest	-	—	—	-	—	—	•	-	—	-	•	—	—	•	•	•	•
	60/40 foldable seat base and underseat storage	-	_	_	•	•	•	•	_	_	•	•	•	•	•	•	•	•
Seat trim:	Black cloth	•	•	•	•	•	•	•	•	•	•	•	•	•	•	—	—	—
	Brown leather [#]	-	—	—	—	—	—	—	—	—	—	—	—	—	—	•	—	•
	Black & Driftwood leather with synthetic suede	-	-	—	—	_	-	—	_	-	-	-	-	-	-	_	•	-

• = Standard, - = Not available.

Leather interior includes some Maztex material on selected high impact surfaces.





SPECIF	CATIONS
--------	---------

SPECIFICATIONS				4X2								42	X4				
Infotainment	Single Cal Chassis XS	b Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dua Pick Thur
										•							
7-inch full colour touch screen display9-inch full colour touch screen display	•	• -	•	• -	•	-	•	-	•	• -	•	•	-	•	•	•	•
AM/FM tuner with Radio Data System (RDS)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Apple Carplay [®] (wireless or USB) [§]	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Android [®] Auto (USB) [§]	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DAB+ digital radio	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Auxiliary audio input jack (3.5mm mini-stereo)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Bluetooth [®] hands-free phone and audio capability [§]	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Satellite navigation	_	—	_	_	—	_	•	—	_	_	•	_	_	•	•	•	
Speakers (2)	•	•	•	_	—	_	—	•	•	_	—	—	_	—	_	_	—
Speakers (4)	—	—	_	•	•	•	_	—	_	—	—	—	_	—	_	_	—
Speakers (6)	—	—	_	_	—	_	•	_	_	•	—	•	•	—	_	—	—
Speakers (8)	—	—	_	_	_	_	_	_	_	_	•	_	_	•	•	•	
Steering wheel-mounted audio controls	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB-audio input port (iPod compatible)§	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

• = Standard, - = Not available.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.




CDECIEIC ATIONIC

SPECIFICATIONS		4X2							4X4									
		Single Cal Chassis XS	b Single Cab Chassis XT	 Freestyle Cab Chassis 	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dua Pick Thu
Safety and Security				ХТ						XT								
Advanced keyless entry with push-button start		—	—	—	—	—	_	•	—	_	—	•	_	_	•	•	•	
Automatic High Beam (AHB) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Autonomous Emergency Braking (AEB) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Airbags SRS:	Curtain (front and rear)	-	_	_	•	•	•	•	_	_	•	•	•	•	•	•	•	
	Curtain (front)	•	•	•	_	_	_	_	•	•	_	_	_	_	_	_	_	—
	Front (driver and passenger)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Side (front)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Farside (driver)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Knee (driver)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Alarm		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Anti-lock Braking System (ABS)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Attention Assist [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Blind Spot Monitor (BSM) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Childproof rear door locks		-	—	—	•	•	•	•	_	_	•	•	•	•	•	•	•	
Electronic Stability Control (ESC) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Electronic Brake-force Distribution (EBD)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Brake Assist (BA) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Emergency Lane Keeping (ELK) – Overtaking [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Emergency Stop Signal (ESS) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Engine immobiliser		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Forward Collision Warning (FCW) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
High mount stop lamp		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hill Descent Control (HDC) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hill Launch Assist (HLA) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Intelligent Speed Limiter (ISL) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Intrusion-minimising brake pedal		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
ISOFIX child restraint anchor points and top tethers (2)		-	—	—	•	•	•	•	_	_	•	•	•	•	•	•	•	•
Lane Departure Prevention (LDP) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Lane Departure Warning (LDW) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

• = Standard, - = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



SPECIFICATIONS		4X2							4X4									
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dua Pick Thur
Safety and Security				XT						XT								
Lane-keep Assist System (LAS) [†]		А	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А
Locking Rear Differential (LRD) - switchable on/off		_	_	_	_	_	_	_	•	•	•	•	•	•	•	•	•	
Manual Speed Limiter (MSL) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Parking Sensors Fr	ront	—	—	_	_	—	_	_	—	_	—	_	_	—	_	•	•	
R	Rear	—	_	_	_	•	•	•	_	_	_	—	•	•	•	•	•	
Rear Cross Traffic Alert (RCTA) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Remote Engine Start [#]		—	—	—	—	—	—	—	—	—	—	—	—	—	—	А	А	А
Remote central locking (2 transmitters)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Reverse camera		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Roll Over Protection (ROP) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
U	ront	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
with occupant Red	lear	—	—	—	•	•	•	•	—	—	•	•	•	•	•	•	•	•
Seat-belts 3-point lap-sash (all seats)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	leight adjustable shoulder Inchorages	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pr	Pretensioners and load-limiters	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Seat-belts (rear Fi	ixed height shoulder anchorages	—	—	_	•	•	•	•	_	_	•	•	•	•	•	•	•	•
outside) with: Pr	Pretensioners and load-limiters	_	—	_	•	•	•	•	_	_	•	•	•	•	•	•	•	•
Seat-belts (rear Fi centre) with:	ixed height shoulder anchorages	_	-	_	•	•	•	•	-	_	•	•	•	•	•	•	•	•
Secondary Collision Reduction		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Side impact door beams		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Traction Control System (TCS) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Traffic Sign Recognition (TSR) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Trailer Sway Control (TSC) ⁺		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Turn Assist [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

• = Standard, - = Not available, A = Automatic transmission only.


† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.





UNLIMITED KILOMETRE YEAR WARRANTY







REST ASSURED - YOUR WARRANTY

The quality built into Mazda BT-50 is backed up by a 5 year, unlimited kilometre factory warranty and 6 year panel protection warranty.

HELP IS AT HAND - MAZDA ROADSIDE ASSISTANCE

Mazda Premium Roadside Assistance is now included with the purchase of all new Mazda vehicles. Whether it's a flat battery, locked-in keys, accident support and flat or damaged tyres, we've got you covered, day or night, city or country. With Mazda Premium Roadside Assistance, help is always there when you need it. (Terms and conditions apply.)

MAZDA FINANCE – FINANCE, YOUR WAY

Mazda Finance offers flexible finance options to suit you or your business. You can choose from a Mazda Finance Fixed Rate Car Loan or Mazda Assured^{*}, a loan option that enables you to enjoy a new Mazda more often. Each finance option comes with the reassurance of a Mazda Tailored Rate - an interest rate tailored to your individual circumstances.

MAINTAIN THAT ZOOM-ZOOM

Your Mazda BT-50 deserves the best in care. Servicing with Mazda Service Select gives your car the advantage of factory trained Service Technicians and advanced computer diagnostic systems. As well as maintaining your Mazda in A1 condition, you'll also be protecting your vehicle's outstanding resale value.

*Terms, conditions, fees and charges apply. Mazda Assured Guaranteed Future Value products are available to approved customers of Mazda Finance, a division of Australian Alliance Automotive Finance Pty Limited ABN 63 002 407 703, Australian Credit Licence 513747. At participating dealerships only. *New 5 year unlimited kilometre warranty available on all brand new vehicles purchased from 1 August 2018. For full terms and conditions please visit https://www.mazda.com.au/owners/warranty/





For further information, visit mazda.com.au or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the US and other countries. Due to the nature of the reproduction process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published December 2021. MAZ14958



ZOOM-ZOOM

MAZDA BT-50 ACCESSORIES



BOSS ADVENTURE PACK

Whether you're gearing up for work or play, adventure is always calling with this pack that gets the job done and looks awesome in any terrain. Includes:

Bull bar – 2 hoops Lightforce circle driving lights Electric roller tonneau cover Black sports bar Tub racks Platform on tonneau 18" black alloy wheels Black side steps

BT-50



MORE REWARDING

MAKE YOUR MAZDA EVEN Mazda BT-50 is the Complete Package ready for any adventure. With a bold new design combining durability with superior passenger comfort, it's now even more impressive. Personalise and protect your BT-50 with Mazda Genuine Accessories that deliver superb design, quality and safety, all backed by a Genuine Mazda Warranty. Mazda Genuine Accessories give you even more Zoom-Zoom.

BOSS SPORTS PACK

Sleek, sporty and ready for action, the streamlined bull bar and unique machined wheels are ready to take on anything.
Includes:
Polished bull bar – single hoop
Lightforce LED lightbar
Soft tonneau cover
Polished sports bar
18" bronze machine alloy wheels
Black side steps



BOSS TOURING PACK

If you're one to take to the open road, this is the pack for you. The perfect pack for loading up plenty of cargo and towing even more.
Includes:
Premium canopy
Polished nudge bar
Lightforce circle driving lights
Tow bar pack
Black side steps

4x4 Dual Cab Pickup XTR



BOSS LIFESTYLE PACK

If you live for the weekend and have got the gear to prove it, this pack is perfect for bringing it all along. Includes: Electric roller tonneau cover Tub racks Bike racks – wheel off Roof racks + platform Black side steps

4x4 Dual Cab Pickup GT



BOSS SHADOW PACK

Undeniably tough with sharp, bold styling, this pack with its dark range of premium accessories definitely looks the part. Includes: Bull bar – 2 hoops Soft tonneau cover 18" black alloy wheels Black sports bar Lightforce circle driving lights Black side steps


4x4 Dual Cab Pickup GT





FRONT SEAT COVER

Keep your front seats grime-free with these durable, customised covers. Made from waterproof neoprene, they're fully airbag compatible.



REAR SEAT COVER

Prolong the life of your rear seats with this lightweight, waterproof cover. Shields from dirt, spills, pets and everyday wear and tear. (Dual Cab only)



RUBBER FLOOR MATS

Heavy-duty mats custom-made for complex coverage. Featuring a high lipped edge for further protection.



CARPET FLOOR MATS

Customised mats to prolong the life of your carpets. These durable mats include a heel pad for the driver's side.



UHF RADIO

Stay connected and safe in remote areas with this reliable 80 channel UHF radio unit.



SCUFF PLATES Protect door sills from scratching and scuffs with this stylish addition to your BT-50.



MOBILE PHONE HOLDER

Safe, stylish and compatible with a range of phones, this handy holder fits snuggly into your Mazda's cup holder for easy access and visibility. It also includes a tailored charging cord so you can plug directly into your BT-50's infotainment system.



WIRELESS CHARGING

Simply place your phone down and let it charge. With a max charge rate of 10W (phone dependant), it's a must have to take full advantage of your BT-50's wireless Apple CarPlay.®







BULL BAR – HOOPS

BULL BAR – SINGLE HOOP (BLACK)

Built tough and designed to absorb collisions, this airbag compatible bull bar is the perfect addition for those seeking adventure.



NUDGE BAR POLISHED – WITH FPA

Toughen up the front of your BT-50. Offers extra protection and incorporates mounts for optional Lightforce driving lights.



NUDGE BAR BLACK – WITH FPA

Enhances the look of your BT-50 while adding extra protection. Features mounting for optional Lightforce driving lights.



BONNET PROTECTOR – MATTE BLACK Keep your paintwork safe from chips and dents.



HEADLIGHT PROTECTOR Protect your BT-50's headlamps from damage caused by road debris.



LIGHTFORCE LED – CIRCLE, RECTANGLE OR LIGHTBAR

Push your Mazda BT-50 further, with these high-quality, durable driving lights designed for the toughest off-road adventures.





LADDER RACK – POLISHED

Transport ladders and other long items securely with a rack that's made for the job. Holds up to 75kg. Also available in black. (Utilities only)



FENDER FLARES

Beef up the look of your BT-50 with these genuine fender flares. Also offered in body colour.




SPORTS BAR – PREMIUM

Manufactured from high quality steel, this tough looking sports bar adds a whole new level of safety to your Mazda through water crossings. BT-50 with its integrated high-mounted LED stop light. Also includes a tough side plate for extra road presence.



SNORKEL

Allows the engine to breathe in dusty conditions or





SIDE STEPS – BLACK (DUAL CAB) Enjoy easy access to your Mazda BT-50's cab with these anti-slip, airbag compatible side steps. Also offered for freestyle cabs.




SLIMLINE WEATHERSHIELDS Let fresh air into the cabin whatever the weather, allowing heat to escape and preventing windows from fogging.



SUSPENSION UPGRADE 0-300KG (MEDIUM LOAD) AND 300-600KG (HEAVY DUTY)

Optimise your ride with increased comfort and handling; both on and off road. Includes dampers that are adjustable in rebound and compression to further personalise your daily use.





PREMIUM CANOPY

Cover your gear securely with this stylish premium canopy made from tough ABS plastic. Complete with integrated vehicle locking, push button opening for doors and windows, fully lined inside, frameless windows, roof rails and a spoiler. Available with 2 window variants.



STANDARD CANOPY

Available with three different window variations, this tough and spacious canopy provides all the security and protection you need to get the job done.



ELECTRIC ROLLER TONNEAU COVER

A tonneau cover which has it all. Made from durable and weather resistant aluminium, this electric cover integrates with your BT-50's remote central locking.



SOFT TONNEAU COVER – DUAL CAB W SB

Add sports appeal and keep your BT-50's load compartment secure with this durable soft tonneau cover and black sports bar. Available exclusively for utilities. With or without sports bar.



HARD TONNEAU COVER – 3 PIECE

Keep your cargo secure with the lockable protection of a durable hard tonneau cover. Available exclusively for utilities, with or without sports bar fitted.





HEAVY DUTY PREMIUM TRAY

Features additional to the Standard Alloy Tray include heavy duty deck, a tubular headboard with rear window protector, tail light protectors, wiring guards, ladder rack with fold down ears, 25L water tank, IP66 rated toolbox, and dust resistant undertray drawer with incremental locking system. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.




STANDARD TRAY

This tough alloy tray comes equipped with an angled headboard, 255mm drop sides, internal load restraint rails and rope rails. It also features Mazda-branded tailgate decals and mudguards. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.



STEEL PREMIUM TRAY

Your steel tray can come painted body coloured or galvanised. Features additional to the Standard Alloy Tray include a tubular headboard, tail light protectors, wiring guards, ladder rack with fold down ears, 25L water tank, IP66 rated toolbox. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.





TAILGATE DUST SEAL

Fits to the inside of your BT-50's tailgate to restrict the entry of dust and water.



LOAD DISTRIBUTION

Improve handling, control and comfort whilst towing with Genuine Mazda Load Distribution Hitch.



TOW BAR (3.5L)

A custom tow bar made specifically to accommodate the BT-50's impressive braked towing capacity of 3,500kg and 350kg maximum tow ball download.



BEDRUG

Enjoy the look and comfort of carpet whilst protecting your tub and cargo from the harshest conditions.



TUB MAT – DUAL CAB

Protect the surface of your BT-50's tray with this tailor-made non-slip mat.



TAILGATE EZ UP & DOWN

Equip your tailgate with a damper that offers soft-release and handsfree lowering. Lifting is even easier as your tailgate lightly raises to close.







TUB LINER – DUAL CAB

Surface protection tailored to your BT-50. This durable liner is highly resistant to UV light and withstands exposure to chemicals like paint and fuel. (Utilities only)



12V SINGLE SMART SOCKET

Power electrical appliances with two in-built, 15-amp sockets with smart circuit, battery protection and handy touch light. Fitted with one standard 12V socket.



DUAL BATTERY KIT

Run powerful electrical equipment from this unit without the risk of draining your BT-50's main battery. Fitted with one standard 12V and one Merit socket. (Utilities only)





TUB RACKS

Leave nothing behind with these heavy duty cargo carry tub racks. Compatible with a range of accessories. These fit on either your electric roller tonneu cover or premium canopy with a load rating of 90kg.



ROOF RACKS Whether it's for those weekend warrior adventures or day to day use, these durable roof racks allow you to securely lug extra cargo with you. Dual cab only. Also compatible on premium canopy. Requires purchase of Canopy Roof Rack Adaptor kit (TF11ACCRRA) to fit on Premium Canopy. Max load rating of 90kg for on road use and 60kg for off-road use.



TAILGATE CENTRAL LOCKING

Lock your tailgate with a click of a button. This integrates directly into your Mazda Key Fob.



18-INCH BRONZE MACHINED ALLOY WHEELS Turn heads with these unique bronze machined alloy wheels.

PLATFORM

Compatible with both roof racks or tub racks, this platform enables you to carry all types of gear. Also compatible with Premium Canopy, or Electric Roller Tonneau Cover with Roof Racks Fitted.

Max load rating of 70kg for on-road use and 47kg for off-road use.

18-INCH BLACK ALLOY WHEELS

These tough black wheels will enhance your vehicle with the presence and power that only a Mazda can deliver.





ALSO AVAILABLE:

Audio retractable Lightning cable Audio retractable Micro USB cable Audio retractable port C cable Black side steps (Freestyle models) Electric brakes Retractable audio cable (3.5mm male-to-male) Tow ball Tow ball cover

For further information, visit mazda.com.au or Freecall 1800 034 411

See the full range of Mazda Genuine Accessories at mazda.com.au All care is taken to ensure the accuracy of this brochure and availability of items at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any products in the brochure from the market. Sports and other equipment shown are for illustrative purposes only and do not come standard with the vehicle, or as Mazda Genuine Accessories. Specifications, features and availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on availability, specifications, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804, 211A Wellington Road, Mulgrave, Victoria 3170. All Mazda Genuine Accessories fitted at the point of sale of a new Mazda passenger vehicle are covered under the Mazda 5 year/unlimited kilometre warranty. Mazda Genuine Accessories fitted after the sale of a new Mazda vehicle are covered by the Mazda 2 year or 40,000 kilometre warranty (whichever should occur first). New 5 year unlimited kilometre warranty available on all brand new vehicles purchased from 1 August 2018. For full terms and conditions please visit https://www.mazda.com.au/owners/warranty/ . Consult your Mazda Dealer for further information. Published December 2021. MAZ14947